

**2009**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Special Locality Report**

**125**

Town of Pulaski

Information in this report is included in Report

**77**

(Pulaski County)

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route


## Special Routes

- Bus  
 Bus - Business Route  
Bypas - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Pulaski

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SCL Pulaski															
11 Washington Ave	Town of Pulaski	0.71	3600	G	99%	0%	0%	0%	0%	F	0.094	F		3900	G	
	To: 2nd St															
11 Washington St	Town of Pulaski	0.30	4700	G	99%	0%	0%	0%	0%	C	0.095	F		5100	G	
	To: Main St SR 99															
11 Washington Ave	Town of Pulaski	0.22	4600	G	98%	1%	1%	0%	0%	F	0.09	F		5000	G	
	To: 5th St															
11 5th St	Town of Pulaski	0.20	6200	G	98%	1%	1%	0%	0%	F	0.088	F	0.534	6800	G	
	To: Lee Highway															
11 Lee Highway	Town of Pulaski	0.84	9000	G	98%	1%	1%	0%	0%	C	NA			9800	G	
	To: 5th St															
11 Lee Highway	Town of Pulaski	1.60	9800	G	98%	1%	1%	0%	0%	F	0.089	F		11000	G	
	To: Alum Spring Rd															
	To: ECL Pulaski															
	From: NCL Pulaski															
99 Randolph Ave	Town of Pulaski	0.68	1300	G	98%	1%	1%	0%	0%	F	0.098	F	0.502	1400	G	
	To: 9th St															
99 Randolph Ave	Town of Pulaski	0.47	2800	G	98%	1%	1%	0%	0%	C	0.099	F	0.535	3000	G	
	To: 3rd St															
99 Randolph Ave	Town of Pulaski	0.08	3100	G	98%	1%	1%	0%	0%	F	0.094	F	0.654	3300	G	
	To: Main St															
99 Main St	Town of Pulaski	0.20	1300	G	97%	1%	1%	0%	1%	F	0.094	F	0.798	1500	G	
	From: Randolph Ave; SR 99															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		2500	G	98%	1%	1%	0%	1%	F	NA			2700	G	
	To: Washington Ave															
99 Main St	Town of Pulaski	0.32	3000	G	97%	1%	1%	0%	1%	C	NA			3300	G	
	From: Washington Ave															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6200	G	98%	1%	1%	0%	1%	C	NA			6700	G	
	To: 3rd St															
99 Main St	Town of Pulaski	1.10	11000	G	97%	1%	1%	0%	1%	F	NA			12000	G	
	To: Bob White Blvd															
99 Main St	Town of Pulaski	1.00	7400	G	97%	1%	1%	0%	1%	F	0.102	F		8100	G	
	To: ECL Pulaski															
	From: SR 99 Randolph Ave															
99 3rd St	Town of Pulaski	0.12	1100	G	99%	0%	0%	0%	0%	F	0.116	F		1200	G	
	From: SR 99 Randolph Ave															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		2500	G	98%	1%	1%	0%	1%	F	NA			2700	G	
	To: Jefferson Ave															
99 3rd St	Town of Pulaski	0.13	2300	G	99%	0%	0%	0%	0%	F	0.104	F		2500	G	
	From: Jefferson Ave															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		3600	G	98%	0%	0%	0%	1%	F	NA			3900	G	
	To: US 11 Washington Ave															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Pulaski

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: US 11 Washington Ave															
	Town of Pulaski	0.34	<b>3200</b>	<b>G</b>	99%	0%	0%	0%	0%	C	0.103	F		3500	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			<b>6200</b>	<b>G</b>	98%	1%	1%	0%	1%	C	NA		6700	G	
	To: SR 99 Main St															



Virginia Department of Transportation  
Traffic Engineering Division  
2009  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Pulaski

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Pulaski</b>																
(4600) Dora Hwy	0.22	2000	G	98%	0%	1%	0%	0%	0%	C	0.119	F	0.661	2200	G	2009
			From: US 11 Washington Ave													
			To: Pierce Ave													
(4600) Dora Hwy	0.96	1200	G	98%	0%	1%	0%	0%	0%	F	0.137	F	0.592	1300	G	2009
			From: Springer Ave													
			To: SR 99													
(4600) Dora Hwy	1.12	1100	G	98%	1%	1%	0%	0%	0%	C	0.111	F	0.574	1200	G	2009
			From: 77-650; SCL Pulaski													
			To: Pulaski Street													
(4601) Valley Rd	0.55	290	G	99%	0%	0%	1%	0%	0%	F	0.108	F	0.531	310	G	2009
			From: Pulaski St													
			To: Commerce St													
(4601) Valley Rd	0.33	1000	G	99%	0%	0%	1%	0%	0%	C	0.102	F	0.521	1100	G	2009
			From: 125-4602 Commerce St													
			To: SR 99 Randolph St													
(4601) Valley Rd	0.13	2300	G	99%	0%	0%	1%	0%	0%	F	0.103	F	0.557	2500	G	2009
			From: SCL Pulaski													
			To: Howard St													
(4602) Case Knife Rd	0.58	600	G	98%	0%	1%	1%	0%	0%	F	0.100	F	0.580	650	G	2009
			From: Case Knife Rd													
			To: Commerce St													
(4602) Howard St	0.21	880	G	98%	0%	1%	1%	0%	0%	F	0.091	F	0.608	960	G	2009
			From: Commerce St													
			To: Howard St													
(4602) Commerce St	0.69	2100	G	98%	0%	1%	1%	0%	0%	F	0.093	F	0.541	2200	G	2009
			From: Valley Rd													
			To: Valley St													
(4602) Commerce St	0.27	2000	G	98%	0%	1%	1%	0%	0%	C	0.084	F	0.537	2200	G	2009
			From: US 11 Washington Ave													
			To: Magnox St													
(4603) Altoona St	0.32	1100	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.59	1200	G	2009
			From: NCL Pulaski													
			To: WCL Pulaski													
(4604) Mt. Olivet Rd	0.28	900	G	99%	0%	0%	0%	0%	0%	F	0.095	F	0.601	980	G	2009
			From: Magazine St													
			To: Mt. Olivet Rd													
(4604) Magazine St	0.13	980	G	99%	0%	0%	0%	0%	0%	F	0.098	F	0.643	1100	G	2009
			From: Magnox Dr; 2nd St													
			To: Magazine St													
(4604) Magnox St	0.08	1100	G	99%	0%	0%	0%	0%	0%	C	0.104	F	0.585	1200	G	2009
			From: Altoona Rd													
			To: SR 99 Randolph Ave													
(4604) Magnox St	0.15	2200	G	99%	0%	0%	0%	0%	0%	F	0.100	F	0.586	2400	G	2009
			From: Lee Highway US 11													
			To: NCL Pulaski													
(4607) Alum Spring Rd	0.57	1700	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.574	1800	G	2009
			From: US 11 Lee Highway													
			To: Memorial Dr													
(4608) Peppers Ferry Rd	1.10	2200	G	99%	0%	0%	0%	0%	0%	F	0.1	F	0.535	2400	G	2009
			From: Beth Scott Dr Old ECL													
			To: US 11 Lee Highway													
(4608) Peppers Ferry Rd	0.37	530	G	99%	0%	0%	0%	0%	0%	C	0.127	F	0.595	570	G	2009
			From: Bob White Blvd													
			To: US11 Main St													
(4609) Memorial Dr	1.21	7000	G	98%	1%	1%	0%	0%	0%	C	NA			7600	G	2009
			From: Main St; SR 99													
			To: Memorial Dr													
(4611) Bob White Blvd	0.39	7800	G	97%	0%	0%	0%	2%	0%	C	0.102	F		8500	G	2009

Virginia Department of Transportation  
 Traffic Engineering Division  
 2009  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Pulaski

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Town of Pulaski</b>																	
						From:	Memorial Dr										
(4611) Bob White Blvd	0.36	5500	G	97%	0%		0%	0%	2%	0%	F	0.109	F	6000	G	2009	
						To:	Peakland Rd										
(4611) Bob White Blvd	1.33	5000	G	97%	0%		0%	0%	2%	0%	F	0.113	F	5400	G	2009	
						To:	NCL Pulaski										
						From:	Washington Ave										
5th St		3000	G								0.088	F	0.521	3300	G	2009	
						To:	Randolph Ave										
						From:	1st St										
Duncan Avenue		3500	G								NA			3500	G	2009	
						To:	SR 99 Main St										
						From:	Newbern Rd										
Grove Ave		300	G								NA			300	G	2009	
						To:	English Forest Rd										
						From:	Grove Dr										
Hopkins Dr		140	G								0.114	F		150	G	2009	
						To:	Peppers Ferry Rd										
						From:	Hill St										
MacGill St		600	G								0.108	F		650	G	2009	
						To:	Dillon St										
						From:	Peppers Ferry Road										
Mashburn Ave		920	G								NA			920	G	2009	
						To:	Newbern Road										