

2011
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates

where available

Special Locality Report

227

Town of Gretna

Information in this report is included in Report

71

(Pittsylvania County)

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Gretna

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 29	From: SCL Gretna Town of Gretna (Maint: 71)	0.13	2500	N	98%	0%	1%	0%	1%	0%	N	0.094	N	0.613	2700	N
Bus 29	To: SR 40 Gretna From: Town of Gretna (Maint: 71)	0.88	4800	G	98%	0%	1%	0%	1%	0%	C	0.088	F	0.506	5300	G
	To: NCL Gretna															
40 Valden Dr	From: WCL Gretna Town of Gretna (Maint: 71)	0.98	5900	N	88%	1%	2%	1%	8%	0%	N	0.092	N	0.638	6300	N
40 E Gretna Rd	To: Bus US 29 Main St From: Town of Gretna (Maint: 71)	0.43	3000	G	88%	1%	2%	1%	8%	0%	F	0.089	F	0.605	3100	G
	To: ECL Gretna															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Gretna

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Gretna																
(760) Music St South	0.24	400	G	99%	0%	From: Bus US 29				C	0.129	F	0.557	430	G	2011
(760) Music St North	0.36	620	R			To: 71-1302 Leftwich St								NA		06/08/2009
(792) Henry St	0.21	710	G	99%	0%	From: 71-1302 Leftwich St				F	0.102	F	0.518	750	G	2011
(792) Henry St	0.50	1000	G	99%	0%	To: 71-1312 Dalton St				C	0.125	F	0.506	1100	G	2011
(792) Henry St	0.34	1100	R			From: Bus US 29								NA		08/23/2006
(792) Henry St	0.20	870	R			To: US 29 BUS: 71-1307								NA		08/23/2006
(1301) School St	0.17	120	R			From: 71-1305 Franklin Blvd North								NA		06/08/2009
(1302) Leftwich St	0.58	1200	G	99%	0%	To: Bus US 29				C	0.087	F	0.542	1200	G	2011
(1302) Leftwich St	0.33	1200	G	99%	0%	From: SR 40 Valden Dr				F	0.088	F	0.523	1300	G	2011
(1302) Leftwich St	0.18	1400	R			To: 71-1304 Washington St								NA		08/23/2006
(1303) Coffey St	0.05	1600	R			From: 71-760 Music St North; Music St South								NA		05/20/2009
(1303) Coffey St	0.07	1200	R			To: 71-760 Music Street North; Music Street South								NA		05/20/2009
(1303) Coffey St	0.24	1200	R			From: Bus US 29								NA		05/20/2009
(1303) Coffey St	0.28	1800	R			To: SR 40 W, Valden Dr								NA		05/20/2009
(1303) Coffey St	0.03	1500	R			From: 71-1327 Industrial Dr								NA		05/20/2009
(1304) Washington St	0.09	80	R			To: 71-1322 W, Harvey St								NA		09/14/2009
(1304) Washington St	0.19	90	R			From: 71-1322 E, Harvey St								NA		09/14/2009
(1305) Franklin Blvd North	0.17	1600	R			To: 71-1321 Church St								NA		06/08/2009
(1305) Franklin Blvd North	0.07	1600	R			From: SR 40 E, Valden Dr								NA		05/20/2009
(1305) Franklin Blvd North	0.07	1500	R			To: 71-1319 West Watts St								NA		05/20/2009
(1305) Franklin Blvd North	0.01	1100	R			From: 71-1319 West Watts St								NA		05/20/2009
(1305) Franklin Blvd North	0.08	1200	R			To: 71-1326 Creasy St								NA		05/20/2009
(1305) Franklin Blvd North	0.08	1200	R			From: 71-1314 Watts St Ext								NA		05/20/2009
(1305) Franklin Blvd North	0.08	1200	R			To: 71-1319 West Watts St								NA		05/20/2009
(1305) Franklin Blvd North	0.08	1200	R			From: 71-792 Northside Dr								NA		05/20/2009

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Gretna

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Gretna																
1305 71 Franklin Boulevard North	0.24	590	R			From: 71-792 Northside Dr					NA			NA		05/20/2009
						To: 71-1302 Leftwich St										
1306 71 Bailey St	0.16	80	R			From: 71-792 Northside Dr					NA			NA		06/08/2009
						To: 71-1302 Leftwich St										
1307 71 Center St	0.09	170	R			From: 71-1309 Huffmond St					NA			NA		06/08/2009
						To: 71-1316, S Shelton Dr										
1307 71 Center St	0.10	590	R			From: 71-1316, S Shelton Dr					NA			NA		06/08/2009
						To: Bus US 29; 71-792										
1308 71 Virginia St	0.13	760	R			From: SR 40, E Gretna Rd					NA			NA		05/20/2009
						To: 71-1330 Smith Lane										
1308 71 Virginia St	0.17	710	R			From: 71-1330 Smith Lane					NA			NA		05/20/2009
						To: 71-1310 Payne St										
1308 71 Virginia St	0.27	390	R			From: 71-1310 Payne St					NA			NA		05/20/2009
						To: 71-792 Henry St										
1308 71 Virginia St	0.16	270	R			From: 71-792 Henry St					NA			NA		05/20/2009
						To: 71-1318 Payne St Ext										
1308 71 Virginia St	0.07	160	R			From: 71-1318 Payne St Ext					NA			NA		05/20/2009
						To: NCL Gretna										
1309 71 Huffmond St	0.06	170	R			From: 71-792 Northside Dr					NA			NA		06/08/2009
						To: 71-1307 Center St										
1309 71 Huffmond St	0.20	190	R			From: 71-1307 Center St					NA			NA		06/08/2009
						To: 71-1302 Leftwich St										
1310 71 Payne St	0.17	300	R			From: 71-792 Henry St					NA			NA		05/20/2009
						To: 71-1308 Virginia St										
1310 71 Payne St	0.56	270	R			From: 71-1308 Virginia St					NA			NA		05/20/2009
						To: 71-792; 71-1318										
1311 71 Harrison St	0.20	280	R			From: SR 40, E Gretna Rd					NA			NA		05/20/2009
						To: Dead End										
1312 71 Dalton St	0.19	240	R			From: SR 40 Valden Dr					NA			NA		05/20/2009
						To: 71-1319 West Watts St										
1312 71 Dalton St	0.10	180	R			From: 71-1319 West Watts St					NA			NA		05/20/2009
						To: 71-792 Northside Dr										
1312 71 Dalton St	0.15	120	R			From: 71-792 Northside Dr					NA			NA		05/20/2009
						To: 71-1302 Leftwich St										
1313 71 Steele St	0.10	1000	R			From: 71-1302 Leftwich St					NA			NA		05/20/2009
						To: WCL Gretna										
1314 71 Watts St Ext	0.12	840	R			From: 71-1305 Franklin Blvd North					NA			NA		06/08/2009
						To: 71-1317 Watts St Ext										
1315 71 Power St	0.14	50	R			From: Bus US 29					NA			NA		05/20/2009
						To: 71-1321 Church St										
1316 71 S Shelton Dr	0.07	750	R			From: 71-792 Northside Dr					NA			NA		06/08/2009
						To: 71-1307 Center St										

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Gretna

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Gretna																
(1317/71) Watts St Ext	0.06	920	R			From: 71-792 Northside Dr					NA		NA			06/08/2009
(1317/71) Watts St Ext	0.05	520	R			To: 71-1314 Watts St Ext					NA		NA			06/08/2009
						To: Dead End										
(1318/71) Payne St Ext	0.22	100	R			From: 71-792; 71-1310					NA		NA			05/20/2009
						To: 71-1308 Virginia St										
(1319/71) West Watts St	0.23	180	R			From: 71-1312 Dalton St					NA		NA			09/14/2009
						To: 71-1305 Franklin Blvd North										
(1321/71) Church St	0.02	480	R			From: 71-1303 Coffey St					NA		NA			05/20/2009
(1321/71) Church St	0.08	450	R			To: 71-1315 Power St					NA		NA			05/20/2009
						To: Bus US 29										
(1322/71) Harvey St	0.23	20	R			From: 71-1303 W, Coffey St					NA		NA			05/20/2009
						To: 71-1303 E, Coffey St										
(1323/71) Fitzgerald St	0.08	460	R			From: 71-1327 Industrial Dr					NA		NA			05/20/2009
(1323/71) Toney St	0.13	240	R			To: SR 40 Valden Dr					NA		NA			05/20/2009
						To: 71-792 Northside Dr										
(1324/71) Northwest Dr	0.04	320	R			From: Bus US 29					NA		NA			06/08/2009
						To: WCL Gretna										
(1326/71) Creasy St	0.12	220	R			From: 71-1305 Franklin Blvd North					NA		NA			06/08/2009
						To: Cul-de-Sac										
(1327/71) Industrial Dr	0.02	600	R			From: 71-1323 Fitzgerald St					NA		NA			05/20/2009
						To: 71-1303 Coffey St										
(1330/71) Smith Lane	0.06	40	R			From: 71-1308 Virginia St					NA		NA			06/01/2009
						To: Dead End										